

MINIMUM IMMUNIZATION REQUIREMENTS UPON ENTRY TO *PRESCHOOL*.

Diphtheria, Pertussis, Tetanus

4 or more doses of DTP /DTaP by 24 months of age.

First three doses in series received *no less than four weeks* (28 days) apart.

Interval between third and fourth or final dose 6 months apart.

Polio

3 or more doses of Polio vaccine defined as oral poliovirus vaccine (OPV) or inactivated poliovirus vaccine (IPV). Doses in series received no less than four weeks (28 days) apart.

Measles

1 dose of live measles virus vaccine given **on** or **after the first birthday**:

Physician diagnosed case of measles with date and physician certification or, Laboratory evidence of measles immunity.

Rubella

1 dose of rubella vaccine administered **on** or **after the first birthday** (usually given as MMR) or Proof of disease not acceptable unless laboratory evidence of rubella immunity is presented.

Mumps

1 dose of mumps vaccine administered **on** or **after the first birthday** (usually given as MMR) or Proof of disease if verified by a physician or laboratory evidence of mumps immunity may be substituted for proof of vaccination.

Hepatitis B

Received **3** doses of hepatitis B vaccine.

If verified by laboratory evidence may substitute for proof of vaccination.

Haemophilus influenza type b (Hib)

Comply with the HIB vaccination schedule. Not required after the 5th birthday.

Children **24-59** months who did not receive the primary series of Hib, must show proof of receiving **one dose** of Hib vaccine at **15 months of age or older**.

Varicella Vaccine (Chicken pox)

Any child 2 years of age or older must show proof of having received at least **1** dose of Varicella vaccine **on** or **after the first birthday** or have proof of Varicella disease with dates verified by health care provider or laboratory evidence of Varicella immunity.

Invasive Pneumococcal Disease

Any child two years of age or older must have proof of a primary series in compliance with immunization schedule or have at least **1 dose** of pneumococcal vaccine between 24 & 59 months.

Lead Screening: For students under *the age of 6* years or below (Reg. 4296)

Risk Assessment Reassess *annually at each well child visit*

A physical is required for *all* children entering preschool.

The completed physical form needs to be **in school** at registration or before entry to the first class.